



**Australasian Society for Trenchless
Technology**
**Guidelines for Horizontal Directional
Drilling, Pipe Bursting,
Microtunnelling and Pipe Jacking**

1	General Revisions	JC	MI	NH	JP	03 Feb 2010
0	Issued for Use – Client Comments Incorporated	JC	MB	NH	JP	08 Sep 2009
Rev	Description	Author	Checked	Approved	Authorised	Date

CONTENTS

- 1.0 BACKGROUND
- 2.0 DEFINITIONS
- 3.0 INTRODUCTION
- 4.0 HORIZONTAL DIRECTIONAL DRILLING GUIDELINE
 - 4.1 HDD Process
 - 4.2 HDD Methods
 - 4.2.1 Pilot Bore
 - 4.2.2 Reaming
 - 4.2.3 Pullback
 - 4.3 HDD Guidance Systems
 - 4.3.1 Walkover Guidance System
 - 4.3.2 Hard Wire Guidance System
 - 4.4 When to Apply HDD
 - 4.4.1 Capabilities
 - 4.4.2 Limitations
- 5.0 MICROTUNNELLING AND PIPE JACKING GUIDELINE
 - 5.1 MT& PJ Process
 - 5.1.1 Microtunnelling Process
 - 5.1.2 Pipe Jacking Process
 - 5.2 MT& PJ Methods
 - 5.2.1 Spoil Removal Method
 - 5.2.2 Pipe Jacking Method
 - 5.2.3 Excavation Suitability
 - 5.3 When to Apply MT & PJ
 - 5.3.1 Capabilities
 - 5.3.2 Limitation
- 6.0 PIPE BURSTING GUIDELINE
 - 6.1 PB Process
 - 6.2 PB Methods
 - 6.2.1 Pneumatic Bursting
 - 6.2.2 Hydraulic Bursting
 - 6.2.3 Static Bursting

6.2.4 Additional Pipe Bursting Methods

6.3 Which type of Pipe Bursting to Apply

6.3.1 Capabilities

6.3.2 Limitation

6.3.3 Replacement Piping

7.0 FRONT END ENGINEERING

7.1 Technical Feasibility

7.1.1 New Pipe On A New Alignment (HDD, MT&PJ)

7.1.2 New Pipe On An Existing Alignment (PB)

7.2 Economic and Social Feasibility

7.3 Constructability

7.3.1 New Pipe On A New Alignment

7.3.2 New Pipe On An Existing Alignment

7.4 Geotechnical Investigation

7.5 Environmental Impact Assessment

7.6 Risk Management Assessment

8.0 REFERENCES